HYSB-001




Notice:


- 1. Follow the installation instructions. Please confirm all accessories are preset before installation.
- 2. Do not fully tighten the screws during initial assembly. Fully tighten screws only once all pieces which are correctly assembled.
- 3. If you encounter any problems during installation, please contact our customer service.
- 4. Please unbox the item from the side with an open-label and put a carpet on the floor to avoid scratching it.



Recommended installers:2



Put a carpet on the floor before unpacking



Estimate installation time: 30minutes

PART LIST


Item no.	Reference Image	Qty		tem no.	Reference Image	Qty
A		X1	(X1
B		X1	(J		X1
C		X2	(K		X1
D		X1	(X1
E		X1	(M		X1
F		X1	(N		X1
G		X1	(0		X2
H		X2	(P		X3


PART LIST

Item no.	Reference Image	Qty		Item no.	Reference Image	Qty
Q		X3		T		X1
R		X3		Û		X1
S		X3		V		X1
			-			
			_			
			_			


HARDWARE LIST


Item no.	Reference Image	Qty	Item no.	Reference Image	Qty
1	Ø8*30mm	X22+2	8		X1
2		X22+2	9		X8
3		X22+2	10		X7
4	Ø6.5*Ø3*15mm	X26+2	1		X2
5	Ø1/4*1-3/4"	X4	12		X3
6		X4	13	Ø7*Ø4*35mm	X24+2
7	Ø6.5*Ø3*14mm	X24+2	14		X1


















































13







Front-to-Back Direction Adjustment:

Rotate the screws on the door hinges shown in the image. The door panel can be moved front-back.

Adjustment range: 4mm

Left-Right Direction Adjustment:

Rotate the screws on the door hinges shown in the image. The door panel can be moved left-right.

2

Adjustment range: 3mm

Up-Down Direction Adjustment:

Rotate the screws on the door hinges shown in the image. The door panel can be moved up-down.

Adjustment range: 4mm



Common Door Panel Issues:

